

BANGALORE CIVIL AND MILITARY STATION.

Prices of food grains—Rice ...
Ragi ...

Normal. Current.
... 10 to 11. 9 to 11.
.. 25 to 30. 25 to 30.

Standing crops are in fair condition.

Paddy is being sown.

Cattle are in good condition.

Water and fodder sufficient.

Vol. 39.]

Published by

BANGALORE, THURSDAY

PART
OFFICIAL

Season Report for the Week ending with the

District and Station.		Rainfall up to 8 A. M. on Saturday.							
		This week.		Last ten years' average for the corresponding week.		Up to the end of the 1st January 1904.		This year.	
1	2	3	4	5	6	7	8	9	10
BANGALORE.	Bangalore C. & M. Station.	I. c.	I. c.	I. c.	I. c.	I. c.	I. c.	I. c.	I. c.
	" City & Taluk...	21	1	2	19	39	14	17	17
	Hoskote	5	...	69	17	39	11	82	...
	Dodballapur	...	...	84	12	14	14	87	...
	Nelamangala	21	1	4	12	49	14	56	...
	Kankanhalli	43	1	39	18	95	14	49	...
	Magadi	62	1	15	13	85	12	87	...
	Channarayana	60	1	15	42	42	13	34	...
	Anekal	...	1	83	23	30	15	97	...
	Devanahalli	3	...	55	12	26	14	55	...
KOLAR.	Closepet	14	...	98	14	34	14	38	...
	District average...	23	1	6	15	69	14	10	...
	Kolar	33	1	18	11	...	12	91	...
	Bowringpet	...	1	38	16	57	13	40	...
	Chintamani	12	...	72	9	34	13	6	...
	Mulbagal	14	1	40	14	57	14	57	...
	Sidlaghatta	21	1	25	13	19	13	53	...
	Chikballapur	57	...	86	17	90	14	88	...
	Bagepalli	21	...	57	8	30	10	28	...
	Goribidnur	...	...	69	13	68	10	87	...
TUMKUR.	Malur	27	2	1	17	27	13	41	...
	Srinivasapur	10	1	5	12	39	13	26	...
	Gudibanda	21	...	96	15	58	13	98	...
	District average...	20	1	10	13	62	13	10	...
	Tumkur	5	1	30	18	72	16	58	...
	Maddur	...	...	74	11	70	9	65	...
	Chikmagalur	...	...	61	14	81	12	28	...
	Sira	...	...	32	5	27	10	32	...
	Gubbi	40	...	97	12	90	11	23	...
	Tiptur	20	...	63	14	7	11	15	...
MYSORE.	Pavagada	...	...	30	10	72	14	14	...
	Kunigal	10	...	69	9	50	11	67	...
	Koratagere	...	...	52	10	25	12	4	...
	Turnvake	20	...	60	12	45	11	9	...
	District average...	9	...	67	12	4	11	41	...
	Mysore	...	...	32	16	94	11	36	...
	Channarayana	...	...	34	8	78	13	9	...
	Seringapatam	...	...	56	14	92	12	23	...
	Hunsur	37	...	32	16	67	16	94	...
	Yedatore	...	...	14	13	66	10	84	...

448

sown in

District and Station.

1

to be in
out the

HASSAN.	Hassan	...	all over
	Manjarabad (Saklespur)	...	...
	Arkalgud	...	...
	Belur	...	...
	Channarayana	...	...
	Arsikere	...	...
	Hole-Narsipur	...	...
SHIMOGA.	Alur	...	...
	District average...	...	...
	Shimoga	...	Kunigal
	Channagiri	...	ddy in
	Honnali	...	ayakan-
	Shikarpur	...	amé in
	Sorab	...	astor in
KADUR.	Sagar	...	Taluk;
	Nagar (Kallurkatte)	...	...
	Tirthahalli	...	...
	Kumsi	...	...
	District average...	...	...
	Chikmagalur	...	...
	Kadur	...	grams,
CHITALDRUG.	Tarikere	...	n good
	Koppa	...	d to be
	Mudgere	...	in the
	Yedahalli	...	...
	Sringeri	...	...
	District average...	...	am and
	Chitaldrug	...	...
MYSORE.	Challakere	...	...
	Hiriyur	...	...
	Holalkere	...	...
	Davangere	...	...
	Molakalmuru	...	...
	Jagalur	...	all the
	Hosdurga	...	n Alur
MYSORE.	Harihar	...	to be in
	District average...	...	apatna,
	Provincial average...	...	...

8. Markets how supply

9. Progress of agriculture done to crops

10. Progress of agriculture

The eaves of buildings, sunshades to windows, water spouts to drain roof water shall not project beyond the side street drain adjoining the house.

The steps to get up the plinth from the road shall not project beyond the outer edge of the side drain of the road.

No sunshades for shops either temporary or permanent shall be erected beyond the outer edge of the side drain of the road.

He shall so construct every such room that the same shall have a clear superficial area of not less than 80 sq. feet except when the room communicates with another room by a partition wall not carried up to the roof or in such a manner that communication cannot be cut off.

Superficial area of rooms.

He shall so construct every such room that the same shall be ventilated by means of doors or windows which open directly into the external air and have an aggregate opening equal to not less than 1/10th of the floor space.

Ventilation of Rooms.

Every householder is bound to conserve the house occupied by him and the grounds attached to the same. All premises must be provided with a suitable drain constructed in accordance with specification supplied by the Chairman for the drainage of the house and compound for the removal of sullage water and sewage to the nearest existing street drain commanded by the level of the house and the grounds pertaining thereto. The owner of the house is bound to construct such drains within 30 days from the date of the notice served on him by the Chairman calling on him to construct the required drain or drains in default, the Board is competent to order the construction of the required drain or drains at the owner's risk and cost.

Conservancy of the Premises.

Every person who shall erect huts or sheds or ranges or blocks of huts or sheds, whether the same are to be used as dwellings or stables or for any other purpose, shall, if the Chairman so require, build the same.

Huts, Sheds, or Ranges

(1) So that they may stand in regular lines with a free passage or way in front of and between every two lines of such width as the Chairman may direct for ventilation and for facilitating scavenging;

(2) With such and so many privies, latrines or urinals and such means of drainage as the Chairman may require; and

(3) At such a level as will suffice for the means of drainage required.

Every person who shall erect a new building shall, in connection with such building, construct a privy or such number of privies (as may be necessary) as shall be prescribed in each case by the Chairman.

With respect to the construction of Privies.

Privy Accommodation.

A person who shall construct a new privy whether in connection with a building or not shall construct such privy upon such site or in such position only as shall be approved by the Chairman.

Site of Privies.

A person who shall construct a privy in connection with a building shall not, without the written permission of the Chairman, construct such privy within a distance of 20 feet from any well, spring, tank, or stream of water used or likely to be used by man for drinking or domestic purposes, or for manufacturing drinks for the use of man or otherwise in such a position as to render any such water liable to pollution.

Proximity of Privies to Water-supply.

Every person who shall construct a privy in connection with a building shall so construct the same as to leave an external air space of not less than 3 feet in width and open to the sky, surrounding such privy on every side thereof except the entrance side where any gallery or passage communicating with such privy, shall be not less than 2 feet in width, and shall be open to the external air on both sides.

Air space round Privies.

Every person who shall construct a privy in connection with a building shall provide such privy with a sufficient opening or with sufficient openings for ventilation to the satisfaction of the Chairman, and such opening or openings shall be as near to the top as practicable and shall communicate directly with the external air.

Ventilation of Privies.

No person shall construct over a privy whether old or new, any room or structure of any description except another privy or a bathing place or a bath room.

No room to be erected on a Privy.

Uncleaned latrine pits, sewage sumps, within the precincts and in proximity to a house shall be cleaned and filled up within two days' notice to that effect from the Chairman unless the Chairman considers it necessary in any particular case or cases to extend the period.

Cleaning of Latrines and Manure Pits.

In every case where a person who shall erect a building shall at any reasonable time during the progress or after the completion of the erection of such building, receive from the Chairman notice in writing, specifying any matters in respect of which the erection of

Contraventions of Bye-laws to be amended.

(b) Such certified copies as aforesaid should be signed by the Deputy Commissioner or by the President or Vice-President of the Municipality or the Chairman as the case may be:

(3) (a) Every such person shall submit with such notice as aforesaid, plans, sections, and elevations in duplicate drawn to a scale of not less than 5 feet to one inch by the Board's Surveyor showing the levels at which the foundation and also the lowest floor or plinth are proposed to be laid with reference to the crown level of the adjacent roads or streets and the level of the side on which the house is to be built.

(b) The aforesaid plans and sections shall further show the position of the line or frontage of the proposed building with reference to the adjacent side drain of the street or road which the building faces, or if there be no such side drain with reference to the central line of such street or road.

(4) Every such person shall, when required by the Chairman, submit with such notice as aforesaid, specifications of the work intended to be constructed and the materials to be used for the foundations, walls, and roofs, respectively.

3. If any person has any doubt or difficulty as to the true intent or meaning of any matter connected with these rules or the requirements thereof, he may, before giving notice in writing of his intention to erect or re-erect any building, apply to the Chairman who shall upon receipt of such application give the said person such information as in the circumstances may be necessary.

A person who shall construct a new building shall not construct any new foundation of such building on any site which shall have been filled up with filth to be removed from new foundations or shall have been used as a place for depositing excrementitious matter or carcasses of dead animals or other filthy or offensive matter, until such matter shall have been properly removed to the satisfaction of the Chairman or shall in his opinion have become innocuous.

As to giving of certain notices by persons intending to construct Buildings.

Every person who shall erect a building within the meaning of Sections 115, 116 and 148 of Municipal Regulations shall, before proceeding to fill in any foundation of a building, deliver or send, or cause to be delivered or sent, to the Chairman at his office, notice in writing in which shall be specified the date on which such person will proceed to fill in such foundation.

Every person who shall erect a new domestic building shall cause the same to be built with a plinth not below $1\frac{1}{2}$ feet above the general level of the ground around and $1\frac{1}{2}$ feet above top of side drain.

Every person who, under the provisions of the previous sections, may be required to furnish to the Chairman any plan or other document, shall furnish duplicate copies of every such plan or other document which he may be so called upon to furnish, and one of such duplicate plans or other documents shall be returned to the person signed by the Chairman signifying his approval of the plan or otherwise. The Board's Surveyor will be ordered to prepare the necessary surveys and levels on a payment of $\frac{1}{4}$ per cent on the estimated cost of the building.

No new building shall be erected by any person, the foundation of the wall of which along the road is not $1\frac{1}{2}$ feet from the side drain. Every wall and every post or posts of the ground floor of such building shall rest on the solid ground, or upon a sufficient thickness of concrete or upon some solid and sufficient sub-structure as a foundation, footings being provided for the foundations when necessary.

Every person who shall erect a new dwelling-house shall so construct such dwelling-house, that the whole or at least one side of every room thereof intended to be inhabited shall either be an external wall abutting on the open air or abut on an interior open space having an area equal to not less than $\frac{1}{16}$ th of the aggregate floor area of all the rooms abutting thereon, and being not less in any direction than 6 feet across.

He shall provide between at least two of the external walls and the boundary line of the owner's premises except where either of such walls faces a street of not less than 15 feet in width, an open space extending throughout the entire length of such wall at least 6 feet wide. He shall cause every interior open space required by this Bye-Law to be constructed and kept free from any erection thereon and open to the sky and no cornice, roof, or weather shade shall project or overhang the said open space more than one foot six inches on any side thereof, provided that such connecting passages may be allowed as the Chairman shall deem necessary, such passages being open one or both sides.

No building shall be allowed in extensions on sites measuring less than 30 feet by 50 feet.

He shall construct every room intended to be inhabited in such building except a room in the roof thereof so that the same shall be in every part at least 8 feet in height from the floor to the ceiling.

He shall so construct every such room in the roof of such building that the same shall have an average height of at least 7 feet from the floor to the ceiling.

SHIMOGA.

8. Market well supplied.
9. Standing crops, viz., paddy, sugar-cane and ragi are reported to be in good condition. Ragi, jola, sessamum and castor are being sown. In Shikarpur and Sorab Taluks chillies are being transplanted.
10. Food stocks sufficient.
11. Public health good.
12. Cattle healthy. Water and fodder available.

KADUR.

8. Market fairly supplied.
9. Standing crops of ragi, sugar-cane, black and green grams, tadagani and til in Tarikere and Chikmagalur Taluks are reported to be in good condition. The young crops of ragi, ballar and togare in the Kadur Taluk are in need of rain. Coriander, black and green grams have been harvested in the Kadur Taluk.
10. Prospects of the season good. Food stocks sufficient.
11. Public health generally good.
12. Cattle healthy. Water and fodder available.

CHITALDRUG.

8. Market well supplied.
9. Standing crops are generally reported to be in good condition, but they are in urgent need of rain in the Challakere and Hiriya Taluks. Ragi, togare, ballar, cotton, navane, horse gram and samé in the Chitaldrug Taluk; ragi, jola, togare, navane, cotton and castor seed in the Challakere Taluk; and ragi, togare, ballar, horse gram, cotton, navane and samé in the Davangere Taluk are being sown.
10. Prospects of the season good. Food stocks sufficient.
11. Public health generally good. Fever prevails in parts of the Challakere Taluk.
12. Cattle generally healthy, except in parts of the Challakere Taluk, where they are reported to be suffering from diseases which are known as ದೊಮ್ಮರೋಗ, ಚಪ್ಪರೋಗ, ತುಂಬೆರೋಗ and sheep from ಮೂಗಿನರೋಗ.

BANGALORE,
24th August 1904. }

PET. GEO. D'SOUZA,
for Secy. to Govt. of H. H. the Maharaja of Mysore,
Gen. & Rev. Depts.